


## EC TYPE-EXAMINATION CERTIFICATE: 0958

**Product description: -** Personal Eye Protection

**Product identification: -** See Schedule

**Manufacturer: -** SWISS ONE SAFETY, C/O JSP Ltd.  
Worsham Mill, Minster Lovell  
Oxford OX29 0TA  
United Kingdom



**When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.**

**Signed:** *A. Diamond*

**Date:** 21<sup>st</sup> March 2019


Andrew P. Diamond, Technical Director

**For and on behalf of INSPEC International Ltd.**  
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ  
England (Notified Body No: 0194)

**Certification remains valid until 12<sup>th</sup> November 2022, providing compliance with INSPEC's terms and conditions is maintained.**

**Original date of issue: 24<sup>th</sup> August 2001**

For terms and conditions of issue, see page 2





## Terms and Conditions

Reference Documents: -

- |      |                          |   |   |  |
|------|--------------------------|---|---|--|
| i)   | Test Reports             | - | } | TF/682, TF/449, TF/1055, TF/2429,<br>TF/0958 |
| ii)  | Technical File           | - |   |  |
| iii) | Test and Inspection Plan | - |   |  |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- v) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vi) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

# CERTIFICATION INDEX

<b>Item</b>	<b>Status</b>	<b>Issued</b>	<b>Amendment</b>
Page 2 of 2	Withdrawn		
Schedule ONE	Withdrawn		
Page 1 of 2	Withdrawn		
Page 2 of 2 (Amendment ONE)	Withdrawn		
Schedule TWO	Withdrawn		
Schedule THREE	Withdrawn		
Schedule FOUR	Withdrawn	6/1/05	To add model COVERJACK
Page 1 of 2 (Amendment ONE)	Withdrawn		
Page 2 of 2 (Amendment TWO)	Withdrawn		
Schedule FIVE	Withdrawn	31/1/06	To add models: JET and FALCON
Pages 1-4	Withdrawn	21/09/07	To add models Expert, Grab and Profile. Editorial changes.
Pages 1- 4	Withdrawn	08/07/08	Correction to PROFILE in schedule
Pages 1 – 4	Withdrawn	01/08/08	Editorial changes re: marking
Pages 1 – 4	Withdrawn	09/02/09	Addition of new models BOOSTER, OXYGEN, SHAMIRA, SEEMA, and POP and editorial amendments
Pages 1 – 4	Withdrawn	27/9/09	Addition of lenses
Pages 1 – 4	Withdrawn	100611	Addition of RUBBERSPEC, DUSTFREE
Pages 1 – 4	Withdrawn	110720	Added DUNE and FAST
Pages 1 – 4	Withdrawn	130318	Addition of DAYTONA, PHANTOM and EXPLORER. Addition of 5 year validity.
Pages 1 – 4	Withdrawn	130812	Add model JSG
Pages 1 – 4	Withdrawn	140226	Replacing model Rider Change of company address
Pages 1 – 4	Withdrawn	141008	Add model RACE
Pages 1 – 4	Withdrawn	170320	Company name and address changed; Removed models CRACKERJACK, GLIDER, ORBIT, COVERJACK, JET, RUBBERSPEC, DUNE, FAST, and DAYTONA. Model name of JSG changed to Junior. Add new models ARVEL, LEONE, LEONE-PCPL and add smoke polarised lens.



# CERTIFICATION INDEX

<b>Item</b>	<b>Status</b>	<b>Issued</b>	<b>Amendment</b>
Pages 1 – 6	Withdrawn	171231	Add models RIGI, COVERLITE, EXPLORER 2 (Spectacle), EXPLORER 2 (Goggle), Anti Reflex coating lens, BLA Brown lens and BLA Orange lens.
Pages 1 – 6	Withdrawn	180702	Extension of certificate validity following review. Addition of VARIO lens for model LEONE.
Pages 1 – 6	Valid	190321	Addition of model Falcon XL, Light smoke lens, Orange 550 lens, VARIO 2 lens. Addition of VARIO lens to all the spectacles which claim resistance to high speed particles of low energy impact (F).

# CERTIFICATION SCHEDULE

## Spectacles

Model	Optical Class	Options	Polycarbonate	Lenses Scale	
RIDER	1	F	Clear Smoke Brown Green Welding 3 Welding 5 Amber Blue Mirror Light Gold Mirror Gold mirror Silver mirror Orange Medium Smoke Dark Brown Anti reflex coating BLA brown BLA orange Light Smoke Orange 550 Vario <sup>1</sup> Vario 2	2-1.2 (EN170)	
FALCON	1	FT		2C-1.2 (EN170)	
EXPERT	1	FT		5-2.5 (EN172)	
GRAB	1	FT		5-2.5 (EN172)	
BOOSTER	1	FT		3-3 (EN170)	
OXYGEN	1	FT		3 (EN169)	
SHAMIRA	1	FT		5 (EN169)	
SEEMA	1	FT		2-1.2 (EN170)	
POP	1	S		5-2.5 (EN172)	
DUSTFREE	1	FT		3-2.5 (EN170)	
PHANTOM	1	FT KN		5-1.7 (EN172)	
EXPLORER	1	FT KN		5-2.5 (EN172)	
RACE	1	FT KN		5-2.5 (EN172)	
ARVEL	1	FT KN		2-1.7 (EN170)	
LEONE	1	FT KN		5-3.1 (EN172)	
RIGI	1	FT KN		5-3.1 (EN172)	
COVERLITE	1	FT KN (or K or N)		2-3 (EN170)	
EXPLORER 2 (Spectacle)	1	F KN		2C-1.2 (EN170)	
Falcon XL	1	FT		2C-1.4 (EN170)	
				2C-1.4 (EN170)	
				5-1.7 (EN172)	
				2-2 (EN170)	
				5-1.4<2 (EN172)	
				5-1.1<2 (EN172)	
LEONE-PCPL	1	FT		Smoke Polarised lens	5-3.1 (EN172)

**Key:**

- S** Increase robustness
- F** Protection against high speed particles - Low energy impact
- FT** Protection against high speed particles at extremes of temperature - Low energy impact
- K<sup>2</sup>** Resistance to surface damage by fine particles (Hard Coated lens)
- N<sup>2</sup>** Resistance to fogging of oculars (Anti-fog lens)

<sup>1</sup> Protection against high speed particles limited to "F"

<sup>2</sup> applicable only for clear, smoke, brown, green, welding 3, welding 5, amber, orange, medium smoke, dark brown, BLA brown, BLA orange, light smoke, orange 550 lens



# CERTIFICATION SCHEDULE

## **Goggles**

<b>Model</b>	<b>Lens</b>	<b>Optical Class</b>	<b>Options</b>
PROFILE (vented)	PC Acetate	1 1	BT 3 4 9 KN FT 3 4 N
PROFILE (non vented)	PC Acetate	1 1	BT 3 4 5 9 KN FT 3 4 5 N
Junior	PC	1	B H
EXPLORER 2 (Goggle)	PC	1	B K N

### **Models can be fitted with the following lens:**

<b>Lens Type</b>	<b>Scale No</b>
Clear	2-1.2 and 2C-1.2
Amber <sup>1</sup>	2-1.2
Smoke <sup>1</sup>	5-2.5

<sup>1</sup> applicable only for EXPLORER 2 (Goggle) model.

### **LENS Options**

- K** Resistance to surface damage by fine particles (Hard Coated lens)
- N** Resistance to fogging of oculars (Anti-fog lens)
- 3** Resistance to liquid droplets
- 4** Resistance to large dust particles
- 5** Resistance to gas and fine dust particles
- 9** Resistance to molten metals and hot solids
- H** Eye protectors for small head size
- B** Protection against high speed particles - Medium energy impact
- BT** Protection against high speed particles at extremes of temperature - Medium energy impact
- FT** Protection against high speed particles at extremes of temperature - Low energy impact