TECHNICAL SPECIFICATION



EVOLite® Mid Peak Revolution® Wheel Ratchet Non Vented

White / AJA170-000-100



DESCRIPTION

The EVOLite® is a breakthrough product enabling Health and Safety Officers to achieve new levels of compliance due to its unrivalled comfort. It is lightweight, extremely comfortable and fits the widest range of head shapes and sizes. The harness and shell are truly integrated as one to give the best performance by keeping it firmly rooted on the head, even when fully inverted. Gives added security and protection when working at height, in high winds, or when there is a high degree of activity, such as during motorway maintenance.

OPTIONS

White (AJA170-000-100)

Blue (AJA170-000-500)

Black (AJA170-001-100)

Orange (AJA170-000-800)

Green (AJA170-000-300)

Hi-vis Yellow (AJA170-00C-700)

Red (AJA170-000-600)

Yellow (AJA170-000-200)

SAFETY STANDARDS

EN 397 • EN 50365







Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com







SPECIFICATIONS



Peak Mid



EN 50365 ELECTRICAL INSULATION 1000V



Resistance to Molten Metals and Hot Solids Helmets (optional)





Minimum Temperature





Recyclable Shell



Depth Adjustment 3D Harness



Universal Accessories Slot

Yes



Reflective Option Optional





ID card holder





Optional 2 point chinstrap (EN397 & EN 812 compliant)





JSPCheck

Yes



Size 53-64cm



Impact Resistance 50 Joules



Lateral Deformation Yes



Maximum Temperature

+50°C



ABS Shell



Textile

Harness



Wheel Ratchet

Yes



Ventilation

No



Integrated Eyewear

Optional



BSI Kitemark

Yes



Optional 4 point chinstrap (EN397 Compliant)

Optional



Product Weight

328g

FEATURES



Supreme Comfort

A 6-point textile cradle harness system & Chamlon™ cotton sweatband offer unrivalled comfort.



Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. Available with either the Revolution® wheel ratchet or the OneTouch™ slip ratchet.



Accessories

A universal attachment slot enables firm fitting of a range of Surefit™ safety visors, and ear defenders. EVOSpec® Integrated eyewear is also available.



3D Adjustment

The textile harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.



CR2™ Reflective

Using Class RA2, high intensity reflective. CR2 is the biggest step-up in night time visibility / reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.





JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

 $Do \ Not \ Publish \ without \ written \ permission \ from \ JSP \ Limited. \ Contact \ copyright@jspsafety.com. \ Information \ correct in the \ United \ Kingdom \ at \ Not \ Publish \ without \ written \ permission \ from \ JSP \ Limited.$ date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.





LOGO RANGE

✓ Front

✓ Back

✓ Sides



VIDEOS

- www.youtube.com/watch?v=r9zutN49DO15
- www.youtube.com/watch?v=LdxMNctXLbg
- www.youtube.com/watch?v=4iv_k1SEs4g
- www.youtube.com/watch?v=WXD2v6an1as&t

DOWNLOADS

Image Pack (ZIP)

doc-invincible-evolite.pdf (PDF)







Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com





