





JSP Limited This is to certify that:

Worsham Mill Minster Lovell Witney, Oxford **OX29 0TA** United Kingdom

Holds Certificate Number: **UKCA 745068** 

In respect of:

Personal Eye Protection - Faceshields To EN 166:2001 & EN 1731:2006

On the basis that BSI carried out the relevant Type Examination procedures under the requirements of The Product Safety and Metrology etc (Amendment etc)(EU Exit) Regulations 2020 (SI 2020/676) relating to Personal Protective Equipment Regulation (PPE) 2016/425 Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II.

For and on behalf of BSI, an Approved Body for the above Regulation (Approved Body Number 0086):

Frank Lee, Product Certification Technical and Compliance Director

First Issued: 2022-04-25 Effective Date: 2022-04-25 Latest Issue: 2022-04-25 Expiry Date: 2027-04-25

Page: 1 of 9

...making excellence a habit.™

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. UKCA 745068

**Product Details:** 

**Product Type:** Faceshield

Model: Invincible®

**Consisting of:** A polypropylene or polycarbonate browquard

A nylon head harness A visor (see below)

An optional polypropylene or polycarbonate chinguard

**Visor types:** 15cm, 17.5cm, 20cm or 25cm polycarbonate

15cm, 17.5cm, 20cm or 25cm acetate

20cm wire mesh

**Technical Specification:** EN 166:2001, EN 1731:2006

**Classifications** 

**Polycarbonate Visor:** Tested to EN 166:2001

Optical Class 1 Shade 2C-1.2

Protection against high speed particles, medium energy impact – B

Protection against liquid droplets and splashes – 3 Protection against molten metal and hot solids – 9

**Acetate Visor:** Tested to EN 166:2001

Optical Class 1

Protection against high speed particles, low energy impact – F

Protection against liquid droplets and splashes – 3

Wire Mesh: Tested to EN 1731:2006

Minimal robustness - S

First Issued: 2022-04-25 Effective Date: 2022-04-25
Latest Issue: 2022-04-25 Expiry Date: 2027-04-25

Page: 2 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. UKCA 745068

#### **Product Details (Continued):**

**Product Type:** Faceshield

Model: Facesaver also known as Martcare®

**Consisting of:** A polypropylene or polycarbonate browguard

A nylon head harness A visor (see below)

An optional polypropylene or polycarbonate chinguard

**Visor types:** 15cm, 17.5cm, 20cm or 25cm polycarbonate

**Technical Specification:** EN 166:2001

**Classifications** 

**Polycarbonate Visor:** Optical Class 1

Protection against high speed particles, medium energy impact – B

Protection against liquid droplets and splashes – 3 Protection against molten metal and hot solids – 9

**Product Type:** Faceshield

Model: Liteguard

**Consisting of:** A polypropylene browguard

A polypropylene head harness with foam backed nylon sweatband

A visor (see below)

**Visor types:** 20cm polycarbonate/acetate

**Technical Specification:** EN 166:2001

Classifications

**Polycarbonate Visor:** Optical Class 1

Protection against high speed particles, medium energy impact – B

Protection against liquid droplets and splashes - 3

Acetate Visor: Optical Class 1

Protection against high speed particles, low energy impact – F

Protection against liquid droplets and splashes – 3

First Issued: 2022-04-25 Effective Date: 2022-04-25 Latest Issue: 2022-04-25 Expiry Date: 2027-04-25

Page: 3 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. UKCA 745068

#### **Product Details (Continued):**

**Product Type:** Helmet mounted faceshields.

**Models:** Surefit<sup>™</sup> Helmet Mounted Visor Carrier and Visors:

17.5 cm deep, 1.0 mm thick acetate visor complete with chin guard.

20 cm, 1.0 mm thick acetate visor.

17.5 cm, 1.0 mm thick polycarbonate visor complete with chin guard.

20 cm, 1.0 mm thick polycarbonate visor.

17.5 cm, 1.5 mm thick polycarbonate visor complete with chin guard.

20 cm, 1.5 mm thick polycarbonate visor. 20 cm, 1.0 mm thick wire gauze visor.

**Technical Specification:** EN 166:2001, EN 1731:2006

**Polycarbonate Visors:** Tested to EN 166:2001

Optical Class 1 Shade 2C-1.2

**1.0 mm Thick Visors:** Protection against high speed particles, medium energy impact – B

Protection against liquid droplets and splashes – 3 Protection against molten metal and hot solids – 9

**1.5 mm thick visors:** Protection against high speed particles, medium energy impact – B

Protection against liquid droplets and splashes - 3

Protection against short electric arc - 8

Protection against molten metal and hot solids - 9

**Acetate Visors:** Tested to EN 166:2001

Optical Class 1

Protection against high speed particles, low energy impact – F

Protection against liquid droplets and splashes – 3

**Mesh Visors:** Tested to EN 1731:2006

Minimal robustness - S

Page: 4 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. UKCA 745068

#### **Product Details (Continued):**

**Carrier:** Protection against high speed particles, medium energy impact – B

Protection against liquid droplets and splashes - 3

Protection against short electric arc - 8

Protection against molten metal and hot solids - 9

The visor and carrier assemblies are designed for fitting to a JSP Ltd industrial safety helmet via JSP 'Surefit' connectors. The two 17.5cm versions of the visors are fitted with a chin guard.

First Issued: 2022-04-25 Effective Date: 2022-04-25 Latest Issue: 2022-04-25 Expiry Date: 2027-04-25

Page: 5 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. UKCA 745068

**Product Details (Continued):** 

Ear defender mounted faceshield **Product Type:** 

Model: **Bushmaster** 

**Consisting of:** A polypropylene browguard

A visor (see below)

PVC encased wire headband ear defender

Visor types: 20cm polycarbonate

20cm wire mesh

**Technical Specification:** EN 166:2001, EN 1731:2006

Classifications

**Polycarbonate Visor:** Tested to EN 166:2001

Optical Class 1

Protection against high speed particles, medium energy impact – B

**Mesh Visor:** Tested to EN 1731:2006

Minimal robustness - S

The overall system consists of an ear defender mounted visor carrier that can be fitted with either a wire mesh visor or a clear polycarbonate visor.

The visor carrier is designed to be used in conjunction with JSP Ltd Classic Extreme Ear Defender, certified by BSI on UKCA certificate UKCA 745070.

First Issued: 2022-04-25 Effective Date: 2022-04-25 Latest Issue: 2022-04-25 Expiry Date: 2027-04-25

Page: 6 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. UKCA 745068

**Product Details (Continued):** 

**Product Type:** EVOGUARD™ Browguard/Helmet Mounted Faceshield

Models: EVOGUARD™ C1 Clear Visor

EVOGUARD™ C2 Clear Visor EVOGUARD™ C3 Clear Visor EVOGUARD™ C4 Clear Visor EVOGUARD™ C5 Clear Visor EVOGUARD™ M1 Mesh Visor EVOGUARD™ M2 Mesh Visor EVOGUARD™ M3 Mesh Visor

**Technical Specification:** EN 166:2001, EN 1731:2006 & GS-ET-29:2011/05

**Polycarbonate Visors:** Tested to EN 166:2001

Optical Class 1

**C1:** Protection against high speed particles, high energy impact at extremes of

temperature - AT

Protection against liquid droplets and splashes – 3 Protection against molten metal and hot solids – 9

Shade 2C-1.2

**C2:** Protection against high speed particles, high energy impact at extremes of

temperature - AT

Protection against liquid droplets and splashes – 3 Protection against molten metal and hot solids – 9 Resistance to surface damage by fine particles – K

Resistance to fogging of oculars - N

Shade 2C-1.2

**C4:** Protection against high speed particles, high energy impact at extremes of

temperature - AT

Protection against liquid droplets and splashes – 3
Protection against molten metal and hot solids – 9
Resistance to surface damage by fine particles – K

Resistance to fogging of oculars - N

Shade 2C-1.2

Page: 7 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. UKCA 745068

#### **Product Details (Continued):**

**C5:** Protection against high speed particles, high energy impact at extremes of

temperature - AT

Protection against liquid droplets and splashes -3Protection against short electric arc -8-1-0(1) Protection against molten metal and hot solids -9Resistance to surface damage by fine particles -K

Resistance to fogging of oculars - N

Shade 2C-1.2

**Copolyester Visor:** 

C3: Protection against high speed particles, medium energy impact at extremes of

temperature - BT

Protection against liquid droplets and splashes – 3

Shade 2C-1.2

Mesh Visors: Tested to EN 1731:2006

M1: Minimal robustness – S

M2: Minimal robustness – S

**M3:** Protection against high speed particles, low energy impact – F

**Browguard:** Tested to EN 166:2001

Protection against high speed particles, medium energy impact at extremes of

temperature – BT Tested to EN 1731:2006

Protection against high speed particles, low energy impact – F

Note  $^{(1)}$  – Tested in accordance with GS-ET-29:2011/05, the  $^{1'}$  is the fault class, meaning it provides adequate protection against short-circuit currents of 4 Ka  $\pm$  5% and the  $^{0'}$  is the light transmittance class where it means a VLT  $\geq$  75%

The EVOGUARD™ Visors range can be used on either EVOGUARD™ Browguard or Mk®/ EVO® range of JSP helmets and fitted with helmet mounted ear defenders listed on UKCA 745070 issued by BSI.

First Issued: 2022-04-25

Latest Issue: 2022-04-25

Effective Date: 2022-04-25

Expiry Date: 2027-04-25

Page: 8 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. UKCA 745068

#### **Certificate administration details:**

Technical File Reference: AFA011-110-100, AFM061-230-400, AFZ061-131-100, ANV000-001-100, G-LG-N-LP200,

ANT010-200-000, REPN-OC1-000

#### **Certificate Amendment Record:**

Issue dateCommentsBSI Internal Project No.April 2022First Issue0086:22:3576461

#### **Certificate validity**

The manufacturer is responsible for ensuring that the Approved Body is advised of changes to any aspect of the overall processes utilised in the manufacture of the product, failure so to do could invalidate the Certificate in respect of production following the introduction of such changes.

#### **Monitoring of Manufactured PPE**

The validity is also dependent on the maintenance of the EU Conformity to Type based on Quality Assurance of the production process, Annex VIII (Module D) as referenced on BSI issued Certificate UKCA 745081.

First Issued: 2022-04-25

Latest Issue: 2022-04-25

Effective Date: 2022-04-25

Expiry Date: 2027-04-25

Page: 9 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.